





#### WE LIVE AT THE HEART OF THE RIDE.

Because we believe every moment on the snow should be a reason to ride again. To experience more of what unites us as snowmobilers and to forge deeper bonds in the wild, snowy places we live to ride in. Together, we are BORN FOR MORE.



LEGENDARY PERFORMANCE. SIMPLY FUN.

PERFORMANCE: PGS, 08-17







LIGHTEST. STRONGEST. MOST FLICKABLE.

DEEP SNOW: PGS. 18-29



SMOOTHEST RIDING. MOST VERSATILE.
ON 8 OFF TRAILS: PGS. 30-37




WORLD'S MOST CAPABLE CROSSOVER.

ON & OFF TRAILS: PGS. 38-43



VOYAGEUR®

RECREATIONAL UTILITY: PGS. 44-45



# ENGINE CHOICES SOME FOR EVERY RIDER.

Different riders and different styles, that's why we offer a complete line-up of engines. From taking the tightest tree lines in the deep powder with the ultimate responsiveness of our 850 Patriot™ to cruising the trails with the proven fan-cooled 550, we're proud to deliver the fun factor that keeps you pushing more miles with more reliability and more confidence. Our engines are built to integrate seamlessly with the lightweight and agile Polaris® chassis. Polaris snowmobiles feature class-leading power-to-weight ratios and set a new benchmark for ultimate performance.



# LIBERTY® **850 PATRIOT**™

The 850 Patriot™ engine was designed from the ground up for Class-leading durability, unrivaled acceleration and industry best power-to-weight. The 850 Patriot™ is the most powerful snownobile engine ever built by Polaris®.



# 800 H.O.

The "Proven Polaris Benchmark", is part of the Polaris family of Liberty engines built in the USA. This engine was developed in conjunction with the AXYS" platform to deliver ultimate responsiveness, performance and quality with class-leading power-to-weight.




# LIBERTY® 600 CLEANFIRE®

The 600 Cleanfire® engine is part of the Polaris family of Liberty engines built in the USA. This engine is a 600cc, liquid-cooled, SDI engine that provides proven reliable performance, instant acceleration, easy starting and great response.



#### 550

Proven, durable, fan-cooled snowmobile engine provides reliable performance at a great value.





## CELEBRATING FORTY YEARS OF LEGENDARY INDY® SLEDS.

Our passion for snowmobiling drives us to develop and deliver the ultimate ride and handling. 40 years ago, the innovative strength and manufacturing excellence of Polaris led to the breakthrough Independent Front Suspension (IFS) that became the foundation of the most legendary model name in snowmobile history: INDY. With INDY, riders have tackled twisty trails, explored new heights and celebrated more race wins than with any other sled. The INDY models have helped make countless winter memories and further fueled our love of the ride. We celebrate its 40th Anniversary and look forward to the exciting and ever-evolving INDY models in snowmobiling's future.







# INDY® XC® ULTRA PERFORMANCE TRAIL VERSATILITY

#### MODELS AVAILABLE

- > 850 Patriot™ / INDY XC 137
- > 600 Cleanfire® / INDY XC 137





# INDY® ADVENTURE

#### MODELS AVAILABLE

> 850 Patriot™ / INDY Adventure 137



# INDY®

#### MODELS AVAILABLE

- > 550 INDY / 121
- > 120 INDY



# INDY EVO™

#### MODELS AVAILABLE

> RMK EVO ES



LEGENDARY PERFORMANCE, SIMPLY FUN.

#### LEGENDARY PERFORMANCE

For 40 years, the INDY® name has stood for performance. For 2020, the INDY is reborn with the NEW INDY XC® 137 and INDY Adventure 137 family built on the AXYS® platform and featuring the proven PRO-CC $^{\text{M}}$  rear suspension. And back for 2020 is the INDY EVO $^{\text{M}}$ , a sled built for pure performance fun for new riders.


#### SIMPLY FUN

A day of riding is measured by miles and smiles. With comfortable seats, confidence-inspiring skis and integrated storage options — you'll be posting both all ride long.

#### PROVEN VALUE

The INDY® line-up is purpose-built for all riders. From new riders on the INDY EVO $^{\rm M}$ , to the 550, and now the premium INDY ADVENTURE 137 and INDY XC 137. Every INDY® is designed and built to deliver confidence that makes your day on the snow the best it can be.





# THE BEST STORIES COME FROM THE BEST ADVENTURES.


For 40 years, INDY® has brought family and friends together to ride. The 2020 lineup adds even more performance and fun to the legendary story. The next generation of INDY® has arrived to give more riders the chance to experience a perfect day on the throttle and in control.















- > Race-Proven Front Suspension
- > 23 mm Shockwave track
- > RydeFX® MPV Shocks

# 120 INDY®

- > 120 Chassie
- > 20 mm Tri-Star track
- > Composite Skies













# PRO-RMK® THE WORLD'S BEST MOUNTAIN SLED

#### MODELS AVAILABLE

- >850 Patriot™ / 163 / 76 mm Track
- > 850 Patriot™ / 155 / 66 or 76 mm Track
- > 600 Cleanfire® / 155 / 66 mm Track



# RMK KHAOS THE MOST AGILE ALL-MOUNTAIN SLED

#### MODELS AVAILABLE

> 850 Patriot™ / 155 / 66 or 76 mm Track



#### SKS

MOST VERSATILE DEEP SNOW SLED

#### MODELS AVAILABLE


- > 850 Patriot™ / 155 / 66 mm Track
- > 850 Patriot™ / 146 / 57 mm Track







LIGHTEST. STRONGEST. MOST FLICKABLE.



#### INSTANTANEOUS LIFT

The combination of the raised and lightweight AXYS® chassis, a powerful Polaris® engine like the 850 Patriot $^{\rm m}$ , and exclusive track designs pop the RMK® on top of the snow.

#### RIDER BALANCED® CONTROL

The AXYS® RMK® features Rider Balanced® positioning that delivers ultimate control for the rider. The PRO-RMK® React™ Front Suspension provides the most precise, effortless sidehilling and ride.

#### IMMEDIATE RESPONSE

The world's best mountain sled is built to be the lightest and most rigid, making it incredibly responsive to rider inputs. This allows you to change direction and maneuver confidently in all conditions.









THE WORLD'S BEST MOUNTAIN SLED

- > 850 Patriot™ Engine
- > PRO-RMK® React™ Adjustable Front Suspension (916-965 mm)
- > 76 mm Series 7 Tracks
- > Walker Evans® Monotube / Piggyback Shocks
- > QuickDrive® Low Inertia Drive System / Chaincase Drive System with 76 mm Track Models
- > PIDD





#### PRO-RMK® REACT™ FRONT SUSPENSION

- > Precise, Effortless Sidehills
- > Legendary Geometry, Adjustable Width (916-965 mm)
- > Walker Evans® Shocks
- > SLS Lightweight Springs on 850 PRO-RMK® Models
- > Forged A-Arms and Spindles
- > Swaybar Design for Handling & Stability

#### POWDERTRAC® XT BOARDS

- > Ideal Geometry for Improved Handling
- > Improved Ergos, Traction at Back of Board
- > Improved Sidehilling & Deep Snow Capabilities
- > Extruded Aluminum Construction
- > Exclusive to 850 PRO-RMK® 155 & 163 Models

#### **850 EXCLUSIVE FEATURES:**

- > PowderTrac® XT Running Boards
- > SLS Lightweight Springs
- > Carbon Fiber Overstructure
- > Carbon Fiber Rear Bumper
- > Standard Underseat Storage



LIGHTEST. STRONGEST. MOST FLICKABLE.











LIGHTEST. STRONGEST. MOST FLICKABLE.

#### RMK® KHAOS®

#### THE MOST AGILE ALL-MOUNTAIN SLED

- > 850 Patriot™ Engine
- > 66 mm Series 6 / 76 mm Series 7 Tracks
- > Walker Evans® Compression Adj. Velocity Shocks
- > React™ Adjustable Front Suspension (916-965 mm)
- > QuickDrive® Low Inertia Drive System / Chaincase Drive System with 76 mm Track Models







## "THE PERFECT ALL-MOUNTAIN SLED FOR RIDERS THAT LOVE TO SIDEHILL, HIT JUMPS AND LIVE AT 12 O'CLOCK."

- DAN ADAMS, NXT LVL CLINICS



2020 850 RMK KHAOS 155 3"

### WHAT MAKES A KHAOS®

THE EASIEST SLED TO CARVE WITH, EVER.

#### RMK® KHAOS® REAR SUSPENSION

The new rear suspension geometry provides balance for all-mountain fun. Designed with the perfect amount of transfer and traction for light handling and control and the best response in all riding zones.

#### WALKER EVANS® VELOCITY SHOCKS

Featuring a mid-body mounted, position sensitive reservoir that allows a softer valve stack for a more compliant ride in the small bumps, but once the piston clears the position sensitive bypass it gets 30% stiffer for added bottoming resistance.

#### REACT™ FRONT SUSPENSION

Provides riders with the most effortless ride in the deep snow for less fatigue. The front suspension features a 916-965 mm stance, a sway bar designed for the best handling, and forged a-arms and spindles optimized for strength and durability.



# MAKING NEW EXPERIENCES.





#### 850 SKS 146 ES

MOST VERSATILE DEEP SNOW SLED


- > 850 Patriot™ Engine
- > IGX 146 Rear Suspension: 57 mm Series 5.2
- > Walker Evans® Piggyback Shocks
- > Chaincase Drive System, Additional Cooling
- > Narrow Ski Stance (991-1041 mm)
- >PIDD



# 5M/TEHBALK®









# SWITCHBACK ASSAULT ULTIMATE 50/50 CROSSOVER

#### **MODELS AVAILABLE**

- > 850 Patriot™ / 51 mm Track
- > 600 Cleanfire® / 51 mm Track



# SWITCHBACK XCR RACE-READY STRENGTH & DURABILITY

#### **MODELS AVAILABLE**

> 850 Patriot™ / 44 mm Track



Experience the go-anywhere versatility of Switchback® on the trail or off the map with the sled born to give you the best of both worlds. Some days you follow the trails for miles, others you ride the backcountry for hours. All with the Polaris® Switchback®.



SMOOTHEST RIDING. MOST VERSATILE.



#### RIDER BALANCED® CONTROL

By placing the rider in the right location on the sled, we've built a sled that corners flat without sacrificing the fun factor of lifting the front end through the bumps or powder. More precise handling both on trail and off-trail.


#### UNRIVALED ACCELERATION

When developing the AXYS® platform, Polaris® engineers minimized weight throughout the sled without compromising strength. Combined with powerful engines like the 850 Patriot™ and class-leading power-to-weight ratios, the Switchback® is arguably the quickest in its class.

#### RIDER-CENTRIC COMFORT

With ergonomic controls, integrated storage, enhanced wind protection and industry-first LED headlights, comfort is woven directly into the AXYS® platform's design.





#### WHAT MAKES AN ASSAULT



#### IGX 144 REAR SUSPENSION

The IGX 144 rear suspension provides RMK®-inspired off-trail agility and balance with outstanding on-trail ride performance. Pitch is controlled through geometry.



#### POWDERTRAC® RUNNING BOARDS

The design is optimized for maximum snow clean out while maintaining extreme strength. These running boards are designed to serve the needs of riders on- & off-trail where the front is wide and flat for comfort and stability, while the rear has tapered, dual-angle design for mobility and snow clearance.



#### TNDUSTRY-LEADING TECHNOLOGY

Polaris® offers industry-leading display packages including the Polaris® Interactive Digital Display which is a 109 mm high resolution, full color, LCD digital display that connects with select features of Polaris® Ride Command, including GPS and Trail Maps.



#### 850 SWITCHBACK® XCR® ES

RACE-READY STRENGTH & DURABILITY

- > 850 Patriot™ Engine
- > PRO-XC™ Rear Suspension
- > Race-Proven, Heavy-Duty Suspension Components
- > 44 mm Backcountry Track
- > Walker Evans® Hi-Lo Comp. Adj. Shocks
- > Race-Ready Brake System
- > Electric Start
- > PIDD









Experience TITAN®, the industry's most capable extreme crossover snowmobile. Have unrivaled confidence in the backcountry, working hard, or riding a familiar trail. Forge ahead, at work or play, with the first extreme crossover sled that puts an end to compromise.



WORLD'S MOST CAPABLE CROSSOVER.



## RIDER BALANCED® CONTROL

The AXYS® Chassis positions the rider for Rider Balanced® Control in all riding situations and delivers unmatched handling in even the world's most extreme terrain and conditions.

## **DEEP SNOW AGILITY**

The TITAN® delivers unmatched flotation and agility with the AXYS® chassis. Featuring an articulated rear suspension design that requires no adjustments to go from 2-up to towing large loads and a design that allows you to easily backup over obstacles.

## UNMATCHED CAPABILITIES

The TITAN® is equipped with rider-centric innovations to dominate in the most extreme conditions. TITAN® offers unmatched cargo carrying and towing capabilities, along with innovative storage solutions. The Power Boosting Regulator delivers maximum electrical power at idle and low RPMs for comfort and convenience.



WORLD'S MOST CAPABLE CROSSOVER.

- > 800 H.O. Cleanfire® Engine
- > TITAN® Articulated Rear Suspension
- > 508 x 3937 x 46 mm Cobra Track
- > FOX® QS3 Shocks
- > Gripper Skis
- > Lock & Ride® Versa Touring Passenger Seat
- > Lock & Ride® Versa Cargo Box and Rack
- > Electric Start
- > PIDD







## DO-EVERYTHING CROSSOVER







The TITAN® Adventure 155 is fully featured and a true do-it-all sled. It comes with a Lock & Ride® Versa Touring Passenger Seat with heated passenger grips and footrests, cargo rack, cargo box, tow hitch, mirrors, Polaris® Interactive Digital Display, premium shocks, and a 610 mm high windshield that provides outstanding rider protection. If that's not enough, make it yours with a full selection of Polaris Engineered® Accessories to outfit your TITAN® for exactly your activities and needs.



WORLD'S MOST CAPABLE CROSSOVER.

## TITAN® XC® 155 ES

HIGH-PERFORMANCE. CROSS-COUNTRY TOUGH.

- > 800 H.O. Cleanfire® Engine
- > TITAN® Articulated Rear Suspension
- > 508 x 3937 x 46 mm Cobra Track
- > FOX® QS3 Shocks
- > Gripper Skis
- > Electric Start
- > PIDD






### 2020 TITAN SP 155

# TITAN SP 155 ES

- > 800 H.O. Cleanfire® Engine
- > TITAN® Articulated Rear Suspension
- > 508 x 3937 x 46 mm Cobra Track
- > Polaris® IFP Shocks
- > Gripper Skis
- > MessageCenter Gauge
- > Electric Start



## WHAT MAKES A TITAN®





Provides smooth shifting and drive ranges to suit even the most extreme conditions or situations. 544 kg towing capabilities with High, Low, Reverse, and Neutral.



Integrated design allows for maximum storage, with or without passenger seat. Industry-leading carrying capacity of 38.5 kg and integrated Lock & Ride® mounting system holds cargo box and other storage accessories.



This industry-first Power **Boosting Regulator delivers** maximum electrical power at idle and low RPMs. Ensures electrical power for rider comfort and convenience features. such as accessory heated seats, hand-warmers, battery charging and other accessories.





LIMITLESS POSSIBILITIES.

## **ULTIMATE FLOTATION**

The Voyageur® family is built to deliver performance wherever your snowmobiling day takes you. From accessing the powerline to checking the trap line, aggressive tracks and tough, wide PRO-Float skis keep you on top of the snow.


## UNMATCHED HAULING

With its hitch, rear rack, and Polaris® rear suspension technology, the capable Voyageur® maintains control and precision whether under load on-trail or in the deep snow.

### PROVEN HANDLING

With the perfect blend of RMK® DNA and Polaris® suspension technology, the Voyageur® delivers the best off-trail performance with confident trail handling at any speed.

























	SPECS								
DIMENSIONS	MODEL NAME	850 PRO-RMK® 163 / 3"	850 PRO-RMK® 155 / 3"	850 PRO-RMK® 155	850 RMK® KHAOS® 155 / 3"	850 RMK® KHAOS® 155	600 PRO-RMK® 155	850 SKS 155	
	Fuel Capacity (liters)	43.5	43.5	43.5	43.5	43.5	43.5	43.5	
	Overall Height (cm.)	124.7	124.7	124.7	124.7	124.7	124.7	124.7	
	Overall Width (cm.)	110.5	110.5	110.5	110.5	110.5	110.5	118.1	
	Ski Center Distance (cm.)	91.4-93.9-96.5	91.4-93.9-96.5	91.4-93.9-96.5	91.4-93.9-96.5	91.4-93.9-96.5	91.4-93.9-96.5	99.1-101.6-104.1	
	Estimated Dry Weight (kg.)	196	194	185	196	191	186.9	205	
	Overall Length (cm.)	341.4	332.75	332.75	332.75	332.75	332.75	332.75	
ENGINE 8 DRIVETRAIN	Engine Type/Cooling	Liquid Cooled	Liquid Cooled	Liquid Cooled					
	Disc Brake Type	AXYS® RMK® LWT	AXYS® RMK® LWT	AXYS® RMK® LWT					
	Drive System Type	Chaincase	Chaincase	QuickDrive®	Chaincase	QuickDrive®	QuickDrive®	Chaincase	
	Drive/Driven Clutch	P-85/TEAM®LWT	P-85/TEAM®LWT	P-85/TEAM®LWT	P-85/TEAM®LWT	P-85/TEAM®LWT	P-85/TEAM®LWT	P-85/TEAM®LWT	
SUSPENSION	Front Suspension	AXYS® RMK® React™	AXYS® RMK® React™	AXYS® RMK® Adjustable					
	Rear Suspension	AXYS®RMK®	AXYS® RMK®	AXYS® RMK®	AXYS®KHAOS®	AXYS® KHAOS®	AXYS®RMK®	AXYS®RMK®	
	Shock Package	Walker Evans® Piggyback	Walker Evans® Piggyback	Walker Evans® Piggyback	Walker Evans® Velocity	Walker Evans® Velocity	Walker Evans® Piggyback	Walker Evans® Piggyback	
	Ski Type	Gripper	Gripper	Gripper	Gripper	Gripper	Gripper	Gripper	
	Track Width/Length/Height (mm.)	381 x 4140 x 76 Series 7	381 x 3937 x 76 Series 7	381 x 3937 x 66 Series 6	381 x 3937 x 76 Series 7	381 x 3937 x 66 Series 6	381 x 3937 x 61 Series 5.1	2.6" Series 6	
	Color	All Black/Blue Accents	All black/ Red Accents	All Black	White Lightning/Indy Red	All Black/ Red Accents	White Lightning	Ghost Gray	
S	Electric Start	Optional	Optional	Optional	Optional	Optional	Optional	Standard	
LIE .	Gauge	PIDD	PIDD	PIDD	PIDD	PIDD	MessageCenter	PIDD	
FEATURES	Special Features	Standard Underseat Storage, PowderTrac® XT Running Boards		Standard Underseat Storage					
at any time mance and	erves the right to change specifications without incurring obligation. All perfor- /or feature and benefit claims are based etitive data available at time of printing.	850 SKS 146	850 SWITCHBACK®	850 SWITCHBACK®	600 SWITCHBACK®	800 TITAN® ADVENTURE	800 TITAN® XC	BOO TITAN® SP	
	MODEL NAME		XCR	ASSAULT ® 144	ASSAULT ® 144	94 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C	36 Galaberra (1970) - 1970 (1970)	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
(n	Fuel Capacity (liters)	45.4	45.4	45.4	45.4	53	53	53	
NO.	Overall Height (cm.)	129.5	116.8	138.4	138.4	145 122	123 114	137 122	
DIMENSIONS	Overall Width (cm.)	118.1	119.4	119.4	119.4 108				
IM	Ski Center Distance (cm.)	99.1-101.6-104.1	108	108		99.1 - 101.6 - 104.1	99.1 - 101.6 - 104.1	99.1 - 101.6 - 104.1	
	Estimated Dry Weight (kg.)  Overall Length (cm.)	215 317.5	214 307.4	212 317.5	207 317.5	298 328	274 328	274 328	
						<del></del>			
SUSPENSION DRIVETRAIN	Engine Type/Cooling Disc Brake Type	Liquid Cooled AXYS® Radial	Liquid Cooled AXYS® Race Radial	Liquid Cooled AXYS® Radial	Liquid Cooled AXYS® Radial	Liquid Cooled TITAN® Hydraulic	Liquid Cooled TITAN® Hydraulic	Liquid Cooled TITAN® Hydraulic	
	Drive System Type	Chaincase	Chaincase	Chaincase	Chaincase	H-L-N-R Transmission	H-L-N-R Transmission	H-L-N-R Transmission	
	Drive/Driven Clutch	P-85/TEAM®LWT	P-85/TEAM®LWT	P-85/TEAM®LWT	P-85/TEAM®LWT	P-85/TEAM® BOSS	P-85/TEAM® BOSS	P-85/TEAM® BOSS	
	Front Suspension	AXYS® RMK® Adjustable	AXYS® Front Suspension	AXYS® Front Suspension	AXYS® Front Suspension	AXYS® Front Suspension	AXYS® Front Suspension	AXYS® Front Suspension	195
	Rear Suspension	IGX 146	PRO-XC™	IGX 144	IGX 144	TITAN® Articulated	TITAN® Articulated	TITAN® Articulated	
	Shock Package	Walker Evans® Piggyback	Walker Evans* H-Lo SpeedComp. Adj. PiggybackNeedle	Walker Evans® Needle	Walker Evans® Needle		FOX® QS3 Comp. Adj. Piggyback	Polaris IFP	
	Ski Type	Gripper	Gripper	Gripper	Gripper	Gripper	Gripper	Gripper	
	Track Width/Length/Height (mm.)	57 Series 5.2	44 Back Country	51 Series 4	51 Series 4	46 Cobra	46 Cobra	46Cobra	
FEATURES	Color	All Black	Indy Red	All Black	White Lightning	Navy Blue	All Black/Blue Accents	White Lightning	
	Electric Start	Standard	Standard	Standard	Standard	Standard	Standard	Standard	
	Gauge	PIDD	PIDD	PIDD	PIDD	PIDD	PIDD	MessageCenter	
	oauye	LTNN	LTNN	LTNN	LTNN		LTND	меээаувьенен	
	Special Features	Standard Underseat Storage	Race-Ready Suspension and Brakes	Standard Underseat Storage	Standard Underseat Storage	Lock & Ride® Versa Touring Pass. Seat & Versa Storage Cargo Box and Rack, Mirrors	Integrated Lock & Ride® Versa Storage Platform	Integrated Lock & Ride® Versa Storage Platform	









	MODEL NAME	850 INDY® ADVENTURE 137	850 INDY® XC 137	600 INDY® XC 137	550 INDY®
	Fuel Capacity (liters)	45.4	45.4	45.4	43.5
NS	Overall Height (cm.)	116.8	116.8	116.8	55
SIO	Overall Width (cm.)	119.4	119.4	119.4	122
DIMENSIONS	Ski Center Distance (cm.)	108	108	108	108
OIN	Estimated Dry Weight (kg.)	217	213	210	505
0.0	Overall Length (cm.)	305	305	305	289
NI	Engine Type/Cooling	Liquid Cooled	Liquid Cooled	Liquid Cooled	Fan Cooled
ENGINE 8 DRIVETRAIN	Disc Brake Type	AXYS® Radial	AXYS® Radial	AXYS® Radial	RMK® Hydraulic
NGI	Drive System Type	Chaincase	Chaincase	Chaincase	Chaincase
an and an	Drive/Driven Clutch	P-85/TEAM®LWT	P-85/TEAM® LWT	P-85/TEAM® LWT	CVTech PowerBloc50 / Invance
7	Front Suspension	AXYS® Front Suspension	AXYS® Front Suspension	AXYS® Front Suspension	PRO-RIDE™
NOIS	Rear Suspension	PRO-CC™	PRO-CC™	PRO-CC™	INDY®
PENS	Shock Package	Walker Evans® Comp. Adj. Piggyback Needle	Walker Evans® Comp. Adj. Piggyback Needle	Walker Evans® Comp. Adj. Piggyback Needle	RydeFX® MPV
SUSF	Ski Type	Gripper	Gripper	Gripper	PRO-STEER
co.	Track Width/Length/Height (mm.)	Storm 150	Storm 150	Storm150	381 x 3073 x 23 Shockwave
	Color	All Black	All Black	Sky Blue	INDY® Red
co	Electric Start	Standard	Standard	Standard	Standard
URE	Gauge	PIDD	PIDD	PIDD	MessageCenter
FEATURES	Special Features	Standard Underseat & Overnight Storage, Mirrors, Heavy-Duty Front Bumper	Standard Underseat Storage	Standard Underseat Storage	









	MODEL NAME	RMK EVO~ES	120 INDY°	600 VOYAGEUR® 144	550 VOYAGEUR® 155
DIMENSIONS	Fuel Capacity (liters)	37.8	1.9	45.4	43.5
	Overall Height (cm.)	109.2	78	138.5	142
	Overall Width (cm.)	116.8	86	114.3	122
	Ski Center Distance (cm.)	99	76	99.1-101.6-104.1	99.1-101.6-104.1
	Estimated Dry Weight (kg.)	201.4	66	550	217
	Overall Length (cm.)	315	190	322.6	335.9
ENGINE 8 DRIVETRAIN	Engine Type/Cooling	Fan Cooled	Fan Cooled	Liquid Cooled	Fan Cooled
	Disc Brake Type	RMK® Hydraulic	Mechanical Drum	AXYS® Radial	RMK® Hydraulic
	Drive System Type	Chaincase	Chaincase	Chaincase	Chaincase
	Drive/Driven Clutch	CVTech PowerBloc50 / Invance	P-40	P-85/TEAM®LWT	CVTech PowerBloc50 / Invance
_	Front Suspension	RMK® EVO	IFS	RMK® Adjustable	RMK® Adjustable
SUSPENSION	Rear Suspension	INDY®	Mini INDY®	IGX 144	INDY® Articulated
ENS	Shock Package	RydeFX® MPV	Steel Monotube	RydeFX® MPV	RydeFX® MPV
USP	Ski Type	Gripper	Composite	Gripper	PRO-FLOAT
S	Track Width/Length/Height (mm.)	381 x 3658 x 44 Backcountry	254 x 1753 x 20 Tri-Star	381 x 3658 x 51 Series 4	381 x 3937 x 41 Cobra
	Color	INDY® Red	Sky Blue	White Lightning	White Lightning
ທ	Electric Start	Standard	N/A	Standard	Standard
URE	Gauge	MessageCenter	N/A	MessageCenter	MessageCenter
FEATURES	Special Features		Tether	Rack, Hitch	Rack, Hitch







POLARIS SCANDINAVIA AB | WWW.POLARISSVERIGE.COM | WWW.FACEBOOK.COM/POLARISSWEDEN

CONTACT YOUR LOCAL DEALER FOR ADDITIONAL INFORMATION! Reservation regarding print-errors, deviation from the written content and color-deviation in the depicted material. Polaris Scandinavia AB June 2019

LOCAL DEALER: