





2020 LINEUP

DELUXE



POLARIS GENERAL 1000 DELUXE

PREMIUM PLUS:	
FOX PODIUM X 2.0 QS3 SHOCKS	
SPORT ROOF	
MTX PREMIUM SOUNDBAR	
CONVEX REAR VIEW MIRROR	

Now Available in Two Color Packages

PREMIUM



POLARIS GENERAL 1000 PREMIUM

BASE PLUS:	
AUTOMOTIVE PAINT	
MATTE BLACK CAST ALUMINUM WHEELS	
68.68 cm MAXXIS CORONADO TIRES	
SPORT LOW PROFILE FRONT BUMPER	
POLARIS HD 2041 kg WINCH	

BASE



POLARIS GENERAL 1000

100 HP PROSTAR ENGINE
272 kg DUMPING BOX
STANDARD HALF DOORS
ELECTRONIC POWER STEERING (EPS)
POLARIS LOCK & RIDE COMPATIBLE
VERSATRAC TURF MODE

4-SEAT



POLARIS GENERAL 4 1000

BASE PLUS

AUTOMOTIVE PAINT
MATTE BLACK CAST ALUMINUM WHEELS
68.68 cm DIRT COMMANDER 8-PLYTIRES
FOX" PODIUM 2.0 QS3 SHOCKS
SPORT LOW PROFILE FRONT BUMPER
POLARIS HD 2041 kg WINCH

CONTENTS

ACCESSORIES	08
WINDSHIELDS & REAR PANELS	08
DOORS	10
ROOFS	12
VEHICLE & RIDER PROTECTION	13
STORAGE	14
CAB COMFORT	16
HUNT	16
POLARIS NORTHSTAR COOLERS	18
RIDE COMMAND & AUDIO	20
LIGHTING	55
WHEELS & TIRES	24
WINCHES	30
PLOWS & TRACKS	31

PARTS & GARAGE	32
OIL & LUBRICANTS	32
MAINTENANCE	34
HD PARTS	38
SERVICE PARTS	40
BATTERY & LIFTS	42
GARAGE & TRAILERING	44

APPAREL & HELMETS	46
OUTERWEAR & PROTECTION	46
LIFESTYLE APPAREL & CAPS	52
CAMO & GIFTS	54

P*LARIS* ENGINEERED





WE HOLD OUR PARTNERS TO THE SAME STANDARDS PRO ARMOR. 💝

WHEELS, TIRES & LIGHTING DESIGNED WITH POLARIS TO MAXIMIZE PERFORMANCE

KEEP YOUR

STANDARDS

HIGH. WE DO.





A GLOBAL LEADER IN AUDIO INNOVATION, DESIGN & ENGINEERING



PRODUCTS SO GOOD THEY REPLACE OR REPAIR THEM FOR LIFE




MAKING PRODUCTS FOR AVID SPORTSMEN SINCE 1943



ENGINEERED TO TAKE ON THE ELEMENTS








Vented Windshield: P. 08 Hard Coat Poly Sport Poly - Roof: P. 12 XL Fender Flares: P. 13 (MOTSHOWN)

COCK & PUBLIC Cargo Box: P. 15

RIGID® SR-Series Combo Light Bar: P. 22

Pro Armor Wheel & Tire Set: P. 29 29" Mud XC & 14" Shackle - Matte Black Winch: P. 30



POLARIS GENERAL

THE RIGHT GEAR ALWAYS MATTERS

EXPERIENCE OFF-ROAD LUX	URY
Windshield & Rear Panel	P. 08
□ Doors	P. 10
□ Roof	P. 12
□ Cab Comfort	P. 16
NEXT LEVEL VERSATILITY	
□ Storage	P. 14
☐ Lighting	P. 22
☐ Wheels & Tires	P. 24
□ Winches	P. 30
THE RIGHT STUFF TO MAINT	TAIN
YOUR POLARIS GENERAL	
🗆 Oil & Lubricants	P. 32
☐ Maintenance	P. 34
EVERYTHING YOU NEED TO G	SEAR UP
□ Apparel	P. 46
☐ Helmets	P. 48

Flip-Down Windshield: P. 08 Hard Coat Poly

Premium Poly Front & Rear Doors: P. 10

Sport Upper Front Bumper: P. 13

Pro Armor 76.2 cm Combo Light Bar: P. 23

Pro Armor Wheel & Tire Set: P. 29 Attack 2.0 & Halo Matte Black


Polaris Pro HD 2041 kg Winch: P. 30

WINDSHIELDS

Keep the elements out and control air flow into the cab.

Hard Coat

Hard Coat



GLASS VS PO

- · Superior optical clarity (automotive level)
- Scratch resistant
- · Curved to fit, seals tight
- · Cold weather/ Heavy duty
- · Wiper ready (windshield only)
- · Lightweight, flexible, easy to store/remove
- · Impact-resistant
- Tight seal keeps out rain and dust
- · Hard Coat: 30x more scratch resistance than regular poly windshields

GLASS

HARD COAT POLY



TTP-OUT WINDSHIFLD -GLASS

» 2881108

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

FULL WINDSHIELD -GLASS TOP SELLER

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

LOCK & RIDE

VENTED WINDSHIELD - HARD COAT POLY

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

FLIP-DOWN WINDSHIELD

- HARD COAT POLY

» 2882174

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20



The three-position adjustment system easily opens, providing in-cab ventilation.



WINDSHIELD WIPER 8 WASHER SYSTEM TOPSELLER

» 2881090

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20





Offers fully-sealed or flipped-down venting options. Upper half detaches, leaving lower half for protection with maximum ventilation.

GENERAL ADD A REAR PANEL TO REDUCE THE DUST SWIRL

REAR **PANELS**

Turbulent air forms above the cargo bed and behind the cab when you add a windshield. This swirl can carry dirt, dust, leaves, and rain into the cab. Eliminate this phenomenon and control the swirl by installing a rear panel.





AIRTIGHT GASKET SEAL

POLY





LOCK & RIDE

REAR PANEL - GLASS TOP SELLER

» 2881113

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20



LOCK & RIDE

REAR PANEL - POLY

» 2881112

POLARIS GENERAL 4 1000 '17-20,



COMPLETE YOUR CAB. POLARIS GENERAL comes equipped with half doors. To create an enclosed cab for increased protection from the elements, choose from two great Polaris options.





ZIP WINDOW UPPER DOORS

- Durable, rugged canvas stitched over a robust steel frame
- Lightweight, UV-resistant construction
- Retention straps for increased strength
- Zipper windows for increased venting options
- Mounts easily by drilling into stock doors (drill hole plugs included)

2-SEAT

» 2882548

POLARIS GENERAL 1000 18-20

4-SEAT

» 2883453

POLARIS GENERAL 4 1000 18-20



RIDE

ALUMINUM POLY

- · High Protection Strength
- Lower Profile
- Sleek Style
- Water Run-Off
- **Pre-Existing Mounting Features**
- Liner Ready
- Lightweight

2-SEAT

SEAL

ROOF - ALUMINUM

» 2881105

POLARIS GENERAL 1000 16-20

PREMIUM ROOF - POLY

» 2883800

POLARIS GENERAL 1000 16-20



INCLUDES PREMIUM **ROOF LINER**

SPORT ROOF - POLY

» 2883780

POLARIS GENERAL 1000 16-20

4-SEAT

PREMIUM ROOF - POLY

» 2883801

POLARIS GENERAL 4 1000 '17-20



INCLUDES PREMIUM ROOF LINER

SPORT ROOF - POLY

» 2883781

POLARIS GENERAL 4 1000 '17-20

N=W

POLY ROOF LINER

» 2883802

POLARIS GENERAL 4 1000 '17-20 Compatible with Sport Roof - Poly (2883781), sold separately



VEHICLE & RIDER PROTECTION

Arm your POLARIS GENERAL with Polaris Engineered bumpers and guards to take on any challenge. Engineered for easy, secure installation; providing added protection for lights, bodywork and suspension.



FRONT BUMPERS

SPORT LOW PROFILE

» 2881094

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

■ SPORT UPPER

» 2881525

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20 Requires Sport Low Profile Front Bumper

HMW A-ARM GUARDS MOT SHOWN

FRONT

» 2880274

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

REAR

» 2880171

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

FENDER FLARES (MOT SHOWN)

XL N=W FALLAVAILABILITY

» 2884220 POLARIS GENERAL 4 1000 '17-20 POLARIS GENERAL 1000 '16-20

16

SLIDERS LOW PROFILE

LOW FROITE

» 2881102

POLARIS GENERAL 4 1000 '17-20 POLARIS GENERAL 1000 '16-20

EXTREME KICK-OUT

- » 2-SEAT 2881101 POLARIS GENERAL 1000 '16-20
- » 4-SEAT 2881992
- POLARIS GENERAL 4 1000 '17-20



BUMPERS

SPORT

» 2884345

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

EXPANSION ANCHOR MOUNTS

TOUGH EXPANSION ANCHOR MOUNTS DESIGNED FOR POLARIS GENERAL ALLOW FOR QUICK INSTALL OF ROCK SLIDERS AND BUMPERS WITHOUT DAMAGING THE VEHICLE'S FRAME.









LOCK & RIDE SPARE TIRE CARRIER

» 2881529

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20



BEHIND SEAT STORAGE BAG

» 2882164

POLARIS GENERAL 4 1000 '20, POLARIS GENERAL 1000 '16-20




IN-DASH STORAGE BAG

» 2882165

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20









» 2881527

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20 Includes all mounting hardware for secure installation LOCK & RIDE D-RINGS

» 2881545

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

NOT SHOWN FIRE EXTINGUISHER HOLDER

» 2882158

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20 Fits most 8.25 cm fire extinguishers (not included)













CAB COMFORT




PULSE

8-VENT HEATER & DEFROST SYSTEM

» 2881316

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20



WINDSHIELD WIPER & WASHER SYSTEM TOPSELLER

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 16-20



CONVEX REAR VIEW MIRROR

» 2881540

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20



FLOOR MATS

» 2881934

POLARIS GENERAL 4 1000 '17-20. POLARIS GENERAL 1000 '16-20



KOLPIN STRONGHOLD® CASES



KOLPIN STRONGHOLD GUN BOOTS

» XL TRANSPORT • 2882430*

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

» LIMPACT • 2882426*

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20



KOLPIN STRONGHOLD ICE ROD BOOT

» 2882428*

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20



KOLPIN STRONGHOLD' ICE AUGER/ POP-UP BLIND BOOT

» 2882427*

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

Never transport a loaded firearm. Verify firearm is unloaded prior to mounting. Please refer to $\label{local laws} \ \ \text{and regulations regarding the requirements for the legal transport of firearms.}$

*REQUIRES AUTO-LATCH MOUNT (2883970 OR 2884106)

WINCHES & PLOWS







- Red light is great for reading maps
- Green light is perfect for navigating in the dark
- Blue light is ideal for

PÜLSE

MULTI-FUNCTION CAB LIGHT

- · LED dome light provides white, red, green and blue lighting options
- · Battery-operated. recharges when vehicle is on
- Remove to use as flashlight in and around vehicle

» 2884047

POLARIS GENERAL 41000 '19-20, POLARIS GENERAL 1000 '19-20



N PULSE

POLARIS PULSE LED LIGHT BAR HARNESS

- · Required to easily add electric components
- » 2883785

POLARIS GENERAL 41000 19-20. POLARIS GENERAL 1000 '19-20





KOLPIN RHINO GRIPS®

IDEAL FOR BOWS & UNCASED GUNS



» 2881575

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20



LOCK & RIDE

RHINO GRIP® PRO

» 2884107

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20



LOCK & RIDE

RHINO GRIP® XL

» 2881574

POLARIS GENERAL 4 1000 '17-20. POLARIS GENERAL 1000 '16-20



» 2884108

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20



RHINO GRIP XL REPLACEMENT RUBBER STRAPS

» 2881621

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

LOCK & RIDE

RHINO GRIP* PRO RUBBER STRAPS

» 2884109

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20





28, 57 & 99 LITER FEATURES

















99 LITER

- » GRAPHITE 2883426
- » DESERT 2883392



57 LITER

- » GRAPHITE 2883425
- » DESERT 2881259



28 LITER

- » GRAPHITE 2883424
- » DESERT 2881315

ESSENTIAL ACCESSORIES SO YOUR COOLER WORKS AS HARD AS YOU DO

COOLER ACCESSO	RIES	99 LITER	57 LITER	28 LITER	
		2883648	2882185	2882438	
	DIVIDERS Doubles as cutting board	2883468 COMES WITH ONE DIVIDER I way to partition	2882184 COMES WITH TWO DIVIDERS 2 ways to partition	2882186 COMES WITH ONE DIVIDER I way to partition	
	SEAT CUSHION	NOTAVAILABLE	2882179	2882507	
是一	WHEELS	2883967	2882180	NOTAVAILABLE	



POLARIS NORTHSTAR COOLERS CAN SURVIVE JUST ABOUT ANYTHING - FROM EXTREME HEAT TO A NASTY TUMBLE OFF A VEHICLE.



14 LITER

» GRAPHITE • 2883968



19 LITER SOFTSIDE

» GRAPHITE • 2883390

DON'T FORGET THESE ACCESSORIES



TUMBLERS

» 887 mL • 2883394 » 591 mL • 2883393



LOCK & RIDE
QUICKSTRAP

» 2882187 ALL COOLERS AND POLARIS GENERAL CARGO BOXES



BOTTLE OPENER

» 2882183 ALL COOLERS

RIDECOMMAND®



RIDE COMMAND 7" DISPLAY



- 7" High Bright Touchscreen visible in all conditions
- Displays critical vehicle information for fuel level, coolant temp and battery voltage
- Media player w/ built in AM/FM tuner
- Enhanced Group Ride capability to track and share your ride
- Dedicated shortcut buttons for quick access to features
- Bluetooth® and USB smart phone connectivity
- Front camera support for better visibility on and off trail

RIDE COMMAND MOUNT KIT



- Mount Ride Command seamlessly into the dash for perfect fit & finish
- ${\boldsymbol{\cdot}}$ Comes with wiring harnesses needed and accessory components
- · Includes front camera

NIW

FALL AVAILABILITY

- » RIDE COMMAND MOUNT KIT
- » 2884283

POLARIS GENERAL 4 1000 '20, POLARIS GENERAL 1000 '20

- » WITH RIDE COMMAND MTX" SOUNDBAR
- » 2883803

POLARIS GENERAL 4 1000 '17-19, POLARIS GENERAL 1000 '16-19

- » WITHOUT RIDE COMMAND MTX" SOUNDBAR
- » 2883804

POLARIS GENERAL 4 1000 '17-19, POLARIS GENERAL 1000 '16-19

» 2884072

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

*DOWNLOAD THE RIDE COMMAND MOBILE APP





AUDIO





pockford fosquie.








READY **CARGO SPACE**



BLUETOOTH° CAPABLE





PÜLSE

FALL AVAILABILITY

STAGE 1 AUDIO KIT BY ROCKFORD FOSGATE®

- · Head Unit and Front Coaxial Speakers
- 6.86 cm full color display with AM/FM/WB tuner, Pandora[®] Control and Bluetooth[®] Connectivity
- · 50 Watt 16.51 cm coaxial speakers with enclosures and
- · Head Unit and Speakers are designed Element Ready
- » 2884282

POLARIS GENERAL 4 1000 '20, POLARIS GENERAL 1000 '20



PÜLSE

MTX* PREMIUM SOUNDBAR

- Fully-sealed, injection-molded enclosure with marine-grade components
- · 8 Speakers, 100-Watt
- · Bluetooth connections
- Compatible with 2883803 Ride Command MTX° Soundbar with Mount Kit
- » 2881115

POLARIS GENERAL 4 1000 '17-19, POLARIS GENERAL 1000 '16-19



POLARIS ENGINEERED**
AIDVANTAGES

MOUNTS PERFECTLY

Designed for your Polaris Engineered bumper, roof or other mounting point

ADVANCED TECH

RIGID" lights are driven by Aluminum PCB Smart Boards", 6063-T5 aircraft aluminum extruded housings and Tiger Drylac" UV protection polyester powdercoating.

EXCLUSIVE OPTICS

RIGIO® invests heavily in optical science and has patented multiple optics and optics systems, maximizing light output and efficiency.

LIGHT BAR TYPES



SR-SERIES PRO

Sleek, powerful, low-profile (under 5 cm tall). Lights extreme distances with low energy usage.


Available in 25.4 cm & 81.3 cm



D-SERIES PRO

Compact to fit almost anywhere with high output and low energy usage. **Available in Driving, Flood & Spot**


LIGHT BAR OPTIONS



BUILD YOUR VISION

Consider the Optics, Angle & how you will use your vehicle to choose the right light or set of lights.

OPTICS Light angle	ACCENT	DRIVING (45°)	FL00D (25°)	SPOT (10°)	COMBO (25°/10°)
DRIVING SPEED	All	Slow	Medium	Fast	Medium to fast
BEAM	Diffused glow	Extra-wide	Wide/Shorter	Concentrated/Long	Inner spot & outer flood
RECOMMENDED Mounting	Low/Wheel well	All points	Low &/or rear	High points	All points
TERRAIN & RIDING STYLE	Added style & personalization in any terrain	All riding & utility	Wide-open terrain or trails & utility	Trail & tight conditions	All riding & utility



COOLERS

MAX PERFORMANCE

Validated to work as hard as your machine does

DOESN'T OVERTAX Trust it to work when you need it to

PRO ARMOR.

RUGGED CONSTRUCTION

Pro Armor lights are designed to be big and beefy with an aggressive style all their own, and housed in IP67 marine-grade rated UV polyester powdercoating.

MASSIVELY BRIGHT

Pro Armor builds bright lights designed for any riding experience. All that power is directed through heat dissipating aluminum for streamlined heat management.



DUAL-ROW LED LIGHT BARS

The most spread and farthest illumination downrange. Easy to mount.

Available in Cube, 25.4 cm, 50.8 cm & 76.2 cm



SINGLE-ROW LED LIGHT BARS


Powerful, compact, low-profile light bars with sleek look.

Available in 27.9 cm, 83.8 cm & 101.6 cm



CUBE LED LIGHTS

Small size allows mounting in strategic locations for added lighting. **Available in Flood & Spot**



		LIGHT BAR SET-UPS	
MODEL	1 LIGHT IN 1 LOCATION ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 2 SWITCHES
<i>2019-2020</i> All Models	POLARIS PULSE LED LIGHT BAR HARNESS 2883785	POLARIS PULSE LED LIGHT BAR HARNESS 2883785 Y-HARNESS 2879860	POLARIS PULSE LED LIGHT BAR HARNESS (x2) 2883785

⚠ No battery connection cables required on any model/model year POLARIS GENERAL 1000.

■ All RIGID" and Pro Armor lights are Polaris PULSE ready.

ACCENT LIGHTS

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

COLOR	PN	
RED (SET OF 4)	2880500	
BLUE (SET OF 4)	2880506	

ż

PRO ARMOR.



Each wheel and tire Pro Armor designs for off-road vehicles performs perfectly in the intended environment for its intended use. Developed, tested, and produced in partnership so you can tackle the terrain ahead with Polaris.

TRIPLE-BELTED SIDEWALLS

- Sidewalls are the most vulnerable puncture area of any off-road tire
- Pro Armor makes tires with extra protection exactly where it's needed most - the sidewall

8 OR 10-PLY

- · Pro Armor builds the toughest tires
- $\cdot \ \mathsf{Higher} \ \mathsf{ply} \ \mathsf{ratings} \ \mathsf{mean} \ \mathsf{added} \ \mathsf{protection}$

INNOVATION

DUAL DUROMETER LUGS

- Firm durometer rubber on base of lug for stability
- Soft durometer rubber on top of lug for sticky grip

DUAL COMPOUND TREAD (Dual-Threat)

- Firm durometer rubber on center of tread for long wear life
- Soft durometer rubber on shoulders of tread for superior grip

4,828+

Pile on the kilometers with Pro Armor tires. Every tire is designed and constructed with longevity in mind. With ratings of 4,828 kilometers and beyond, you are assured long life and performance.

KNOW YOUR TIRES

DIMENSIONS 28"×9" R14

/ | \
TIRE TIRE WHEEL
HEIGHT WIDTH DIAMETER

TREAD DEPTH
A deeper tread
means more grip in
all conditions

WEIGHT
A lighter tire makes
for improved vehicle
performance

PLY RATING
Indicates tire

SIDEWALL BELTS
Increase your
resistance to
sidewall punctures

LOAD RATING
Tires with higher
load ratings can
handle more weight

TIRE: DUAL-THREAT

WHEEL: BUCKLE ACCENT

KNOW YOUR TERRAIN



Self-cleaning lugs



- Ideal for both hard pack and loose trail



- Industry leading anti-puncture side walls
 - Purpose-built, long lasting tread patterns

FRONT / REAR



- · Flexible "grippy" tread
- Aggressive side bite





- · Flexible "grippy" tread
- Aggressive side bite

PRO ARMOR CRAWLER XR

- · Wanna race? This tire grips it all from the trail to the rocks
- · Square block profile for even surface contact
- · A tougher durometer than the XG to take on the toughest the trail has to offer

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
147	28" × 10" R14 5415536	FRONT/ REAR	16 _{mm}	15 kg	8	3	517 kg





SINGLE DUROMETER

- Smaller lug height, added rigidity and lateral stability when cornering
- Unique lug design excels in hard-packed, fast terrain











WHAT **CRAWLER** ARE YOU?

PRO ARMOR CRAWLER XG

- · Big or small, these tires crawl them all
- · A soft, sticky compound makes this tire ideal for both rock crawling and desert running
- · 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
15"	28" × 10" R15 5416346	FRONT/ REAR	20mm	15 kg	8	3	503 kg





DUAL-DUROMETER

- · Taller lug height
- Perfect balance between high-speed performance, durability and flex in order to grip slick rock



BACKCOUNTRY/TRAIL









PRO ARMOR MUD XC

- Designed for the perfect mud-trail crossover for a smooth ride on the trail and aggressive traction in the mud
- Dual-compound technology with harder durometer lugs promote extended wear, increasing tire life
- ullet 10-ply construction, means added protection in the toughest terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14	29" × 10" R14 5416946	FRONT/ REAR		18 kg			630 kg
141	27" × 9" R14 5416947	FRONT	30 _{mm}	14 kg	10	3	531 kg
141	27" × 11" R14 5416948	REAR		15 kg			599 kg

FRONT



BACKCOUNTRY/TRAIL







PRO ARMOR DUAL-THREAT

- · Dual-compound technology and radial construction offer performance
- Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased traction during acceleration and longer tread life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
147	26" × 9" R14 5416340	FRONT		12 kg			413 kg
147	26" × 11" R14 5416341	REAR	16 _{mm}	14 kg	10	3	503 kg
147	29" × 9" R14 5416342	FRONT	10mm	14 kg	10	3	503 kg
147	29" × 11" R14 5416343	REAR		16 kg			599 kg

DUAL-COMPOUND = MORE GRIP + LONGER LIFE



Softer Durometer











PRO ARMOR ATTACK 2.0

- · Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer performance in all terrains
- · Tight thread pattern for a quieter ride

			DEPTH	WEIGHT	RATING	BELTS	RATING	
15	28" × 10" R15 5416344	FRONT/ REAR	25mm	15 kg	10	8	503 kg	





ATTACK 2.0 ATTACK

TIGHTER TREAD PATTERN = Better traction in hard pack DUAL-DUROMETER LUG = Increased grip & traction in rough terrain, smoother 10-PLY RATED = Increased durability LARGER SIZE OFFERING IN 28" = More ground clearance & trail traction








PRO ARMOR ATTACK

- The best all-purpose tire for all-season traction in any terrain
- · Unique, full-face tread design
- · Harder durometer lugs promote extended wear, increasing tire life
- · Wider spaced lugs provide more grip in softer terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
147	26" × 9" R14 5415613	FRONT		13 kg	_		413 kg
147	26" × 11" R14 5415614	REAR	23mm	15 kg	8	3	599 kg

FRONT / REAR





PICKING THE RIGHT UTILITY TIRE	HARVESTER	PRESERVE"	XD-K
Rated Long life and performance	Х	х	
Heavy Duty Tread Aggressive tread pattern for all day work on farms or ranches	X		X
Turf-Friendly Easy on grass & farm yard	X	X	
Aramid Fiber Belt 5x times stronger than steel and lighter			Х
Wide Range of Sizes For exactly how you want to use your machine	28", 27", 26"	27", 26"	26"








FRONT / REAR

PRO ARMOR HARVESTER

UTILITY

- · All-around work horse with tread life of 8047 km
- \bullet Tread pattern designed to withstand anything from the farm yard, to the pastures to the trail
- $\boldsymbol{\cdot}$ With 10-Ply it can carry the load day-in and day-out

		TREAD DEPTH	WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
26" × 8" R12 5416396	FRONT	16mm -	11 kg	10		388 kg
 26" × 10" R12 5415966	REAR		15 kg		3	615 kg
27" × 10" R14 5415965	FRONT/ REAR	10mm	15 kg	10		599 kg
28" × 10" R14 5416347	FRONT/ REAR		15 kg			630 kg







FRONT / REAR

PRO ARMOR PRESERVE

- 8046 km tread life
- Turf-friendly for areas where low-impact tire tread is needed
- ${\boldsymbol{\cdot}}$ Rounded profile and special tread pattern to limit footprint

			TREAD DEPTH	WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
12"	26" × 8" R12 5416403	FRONT		11 kg			388 kg
	26" × 10" R12 5416402	REAR	16 _{mm}	13 kg	10	3	599 kg
14	27" × 10" R14 5416348	FRONT/ REAR		13 kg			599 kg









PRO ARMOR XD-K

- ullet 26" Aramid fiber-belted tire to tackle any terrain
- Unique full-face tread design
- Harder durometer lugs promotes for extended wear increasing tire life

			TREAD DEPTH	WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
ÎE-	26" × 9" R12 5415756	FRONT		13 kg		3/1	388 kg
ÎE-	26" × 11" R12 5415757	REAR	31.7 _{mm}	15 kg	10	Aramid	499 kg



FRONT / REAR

WHEELS BEADLOCK INCLUDED BEADLOCK INCLUDED BEADLOCK REQUIRED BEADLOCK REQUIRED



AMPLIFY 0

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.4 kg | LOAD RATING: 590 kg | OFFSET: -9

14" × 7" 1522956-266 14" × 8" 1522957-266 14" × 7" 1522956-458 14" × 8" 1522957-458 ACCENT: FRONT MATTE BLACK: FRONT REAR

BUCKLE 0

WEIGHT: 5.8 kg | LOAD RATING: 408 kg | OFFSET: +4 WEIGHT: 6.1 kg | LOAD RATING: 590 kg | OFFSET: -9

14" × 7" 1522544-266 14" × 8" 1522545-266 ACCENT: EDONT 14" × 7" 1522544-458 14" × 8" 1522545-458 MATTE BLACK: FRONT REAR

COMBAT (BEADLOCK RINGS INCLUDED)

FRONT/REAR

WEIGHT: 7.3 kg | LOAD RATING: 729 kg | OFFSET: +38

14" FORGED READ! OCK RINGS

	Only used on REBLR	PART #
A	Voodoo Blue	1522244-619
B	Machined	1522244-266
0	White	1522244-133
0	Indy Red	1522244-293
€	Orange Crush	1522244-589
€	Matte Black - Replacement Only used on HALO	1523146-458

15" FORGED BEADLOCK RINGS

Matte Black Replacement (F) 1523147-458

REBLR O (REQUIRES BEADLOCK RINGS)

WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.6 kg | LOAD RATING: 590 kg | OFFSET: -9

14" × 7" 1522238-458 14" × 8" 1522239-458 ACCENT: FRONT REAR

SHACKLE 0

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 WEIGHT: 6.4 kg | LOAD RATING: 590 kg | OFFSET: -9

14" × 7" 1522546-266 14" × 8" 1522547-266 14" × 7" 1522546-458 14" × 8" 1522547-458 ACCENT: FRONT REAR MATTE BLACK: FRONT

SIXR 0

FRONT WEIGHT: 4.8 kg | LOAD RATING: 408 kg | OFFSET: +4 WEIGHT: 5.7 kg | LOAD RATING: 590 kg | OFFSET: -9

14" × 7" 1521507-521 14" × 8" 1521508-521 14" × 7" 1521507-410 14" × 8" 1521508-410 MATTE BLACK: FRONT REAR LUSTER: FRONT REAR

SPLIT 0

FRONT WEIGHT: 4.3 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 4.9 kg | LOAD RATING: 590 kg | OFFSET: -9

14" × 6" 1522542-458 14" × 8" 1522543-458 MATTE BLACK: FRONT REAR

CYCLONE

FRONT/REAR

WEIGHT: 7.8 kg | LOAD RATING: 590 kg | OFFSET: +4 ACCENT: FRONT/REAR 15" × 7" 1523184-266
MATTE BLACK: FRONT/REAR 15" × 7" 1523184-458

1 HALO (BEADLOCK RINGS INCLUDED)

FRONT/REAR

WEIGHT: 7.7 kg | LOAD RATING: 726 kg | OFFSET: +38

ACCENT: FRONT/REAR 15" × 7" 1523282
MATTE BLACK: FRONT/REAR 15" × 7" 1523266

WYDE 0

FRONT/REAR

WEIGHT: 6.1 kg | LOAD RATING: 590 kg | OFFSET: +55 ACCENT: FRONT/REAR 15" × 7" 1522550-266
MATTE BLACK: FRONT/REAR 15" × 7" 1522550-458

FLARE

FRONT/REAR


WEIGHT: 8.1 kg | LOAD RATING: 590 kg | OFFSET: +4

HEXLR O (REQUIRES BEADLOCK RINGS)

FRONT/REAR

WEIGHT: 7.3 kg | LOAD RATING: 590 kg | OFFSET: +38 FRONT/REAR 15" × 7" 1522435-458

O LUG NUTS REQUIRED









Ideal for both hard pack and loose trail



Industry leading anti-puncture side walls


Purpose-built, long lasting tread patterns



• Flexible "grippy" tread · Aggressive side bite

WHEEL & TIRE SETS

					10		100gF		
777111	BACK COL	JNTRY / TH	RAIL	MUD	Defendance .	UTILITY			ROCK
14"	ATTACK 26" 4828 km	DUAL-THREAT 26" 4828 km	DUAL-THREAT 29" 4828 km	MUD XC 29" 4828 km	MUD XC 27" 4828 km	PRESERVE 27" 8047 km	PRO ARMOR HARVESTER 27" 8047 km	PRO ARMOR HARVESTER 28" 8047 km	CRAWLER XR 28" 4828 km
AMPLIFY O	2882390	2883138	2883146	2884265	2884272	2883208	2882388	2883225	2882394
AMPLIFY O Matte Black	2882391	2883139	2883147	2884266	2884273	2883209	2882389	2883226	2882395
BUCKLE O Accent	2881335	2883140	2883148	2884260	2884267	2883203	2882383	2883220	2881343
BUCKLE O Matte Black	2881336	2883141	2883149	2884261	2884268	2883204	2882384	2883221	2881344
COMBAT Accent BEADLOCKS PRE-MOUNTED		2883217	2883219						2883213
COMBAT Matte Black BEADLOCKS PRE-MOUNTED		2883216	2883218						2883212
REBLR O Matte Black BEADLOCKS SOLD SEPARATELY	2881381								2881386
SHACKLE O Accent	2881347	2883142	2883150	2884263	2884270	2883205	2882385	2883222	2881355
SHACKLE O Matte Black	2881348	2883143	2883151	2884264	2884271	2883206	2882386	2883223	2881356
SIXR O	2881359								2881371
SIXR O Matte Black	2881360	2883144	2883152	2884262	2884269	2883207	2882387	2883224	2881372
SPLIT O Matte Black	2883145								



O LUG NUTS REQUIRED


REPLACEMENT CAPS

POLAR	ris 🎒	•
LUSTER	AMPLIFY, BUCKLE, COMBAT, CYCLONE,	1521509-410
MATTE BLACK	FLARE, HALO, REBLR, SHACKLE, SIXR	1521509-521
LUSTER		1522243-410
MATTE BLACK	HEXLR	1522243-458
PRO A	RMOR	(B)
LUSTER	AMPLIFY, BUCKLE,	5453209-410

LUSTER	AMPLIFY, BUCKLE, COMBAT, CYCLONE,	5453209-410 5453209-458		
MATTE BLACK	FLARE, HALO, REBLR, SHACKLE, SIXR			
MATTE BLACK	WYDE	1523063-458		
LUSTER		1523015-410		
MATTE BLACK	THRASHER, HEXLR	1523015-458		

2 WAYS TO PURCHASE

INDIVIDUAL WHEELS & TIRES COMPLETE SETS AS LISTED





COLBY VALVE SHORT **ULTIMATE VALVE - 2 PACK**

» 2883293



COLBY COMBO VALVE

- Includes 8 ultimate valves and 8 emergency valves
- » 2883294







FEATURES

12130

I-IID HEAVY DUTY SERIES

ALL POLARIS ENGINEERED WINCHES COME WITH:



FAST WIRE CONNECTION TO POLARIS PULSE SYSTEM

HOOK WITH STRAP

CUT STEEL GEARS & SEALED DRIVETRAIN

SEALED PERMANENT MAGNET MOTOR







NOT AVAILABLE



3. Set Dial to ROPE RECOVERY (H) for 5x Faster Rope Recovery

Stops winch at end of pull to prevent driveline stress and plow overlifting



WITH ALLIMINIUM FATRLEAD

ADD AUTO STOP UPGRADE



WITH STEEL ROLLER FAIRLEAD





- Lightweight & Easy to Handle
- Superior Flexibility & Strength
- 15 m long



ADD SYNTHETIC ROPE 2879187



WIRELESS REMOTE

15 m range wireless remote control

with unique code for interference-free operation



ADD WIRELESS REMOTE 2881287



2041 kg 2041 kg MODEL

POLARIS GENERAL 4 1000 '19-20 POLARIS GENERAL 1000 '19-20

2883861

2883860

PLOWS & TRACKS

GLACIER® PRO HD GIVES YOU

» 183 cm or 168 cm Blades

» Choice of poly or steel

» Manual angle system standard



CREATE YOUR PLOW SYSTEM	STEP 1 SELECT A MOUNT	STEP 2 SELECT A FRAME	STEP 3 SELECT A LIFT METHOD	STEP 4 SELECT A BLADE	STEP 5 SELECT ACCESSORIES
MODELS	MOUNT	FRAME	WINCH	BLADES	ACCESSORIES
POLARIS GENERAL 4 1000 '17-20 POLARIS GENERAL 1000 '16-20	2881763	2880260 TOP SELLER	Polaris PRO HD 2041 kg Winch 2883861 POLARIS GENERAL 4 1000 '19 Polaris PRO HD 2041 kg Winch 2882239 POLARIS GENERAL 4 1000 '17-18 POLARIS GENERAL 4 1000 '16-18 NEW Hydraulic Plow Angle 2884127 POLARIS GENERAL 4 1000 '16-18 NEW Hydraulic Plow Controller 2883391 POLARIS GENERAL 4 1000 '17-18 POLARIS GENERAL 4 1000 '16-18	183 cm Steel 2880270 168 cm Poly 2880269 168 cm Steel 2880268	183 cm Blade Snow Deflector 2858541 183 cm HD Wear Bar 2879875 183 cm Wear Bar 2204976 168 cm Blade Snow Deflector 2879866 168 cm HD Wear Bar 2879867 Plow Marker 2872726 Skid Shoe 2205071 Shear Pin 2205527 Replacement T Shear Pin 2204829 Extension for Tracks 2880267 NEW Heavy Duty Deflector 2884160



GLACIER® HD GIVES YOU

» Choice of poly or steel »168 cm Blades

» Manual angle system standard



DURABLE BLADES

Choose a steel blade for longevity and increased rigidity or a lightweight non-stick, poly blade that's easier on plowing surfaces.

CREATE YOUR PLOW SYSTEM MODELS	STEP 1 SELECT A MOUNT MOUNT	STEP 2 SELECT A FRAME FRAME	STEP 3 SELECT A LIFT METHOD WINCHES	STEP 4 SELECT A BLADE BLADES	STEP 5 SELECT ACCESSORIES ACCESSORIES
POLARIS GENERAL 4 1000 '17-20 POLARIS GENERAL 1000 '16-20	2883256	2882927	Polaris HD 2041 kg Winch 2883860 POLARIS GENERAL 4 1000 '19 POLARIS GENERAL 1000 '19 Polaris HD 2041 kg Winch 2881099 POLARIS GENERAL 4 1000 '17-18 POLARIS GENERAL 1000 '16-18 POLARIS GENERAL 4 1000 '17-18 POLARIS GENERAL 4 1000 '17-18 POLARIS GENERAL 4 1000 '16-18	168 cm Poly 2880269 168 cm Steel 2880268	168 cm Blade Snow Deflector 2879866 168 cm HD Wear Bar 2879868 168 cm Wear Bar 2879867 Plow Marker 2872726 Skid Shoe 2205071 Shear Pin 2205527 Replacement T Shear Pin 2204829



PROSPECTOR PRO® TRACK MOUNTS

Install in place of tires and wheels.
 Tracks sold separately.

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

PROSPECTOR PRO® TRACK

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

If using Glacier Pro Plow System, Track Plow Extension is required (2880267)



SPECIFIC NEEDS, SPECIFIC OILS

Polaris invests millions in engine development, and part of that investment is making sure its lubricants-critical to engine performance-are the right formula for your specific engine. The amount of testing data and engineering resources used in developing Polaris lubricants would overwhelm an aftermarket company. Therefore, the aftermarket must spec an oil to an industry-wide standard that must account for a variety of operating parameters.

PS-4 is designed specifically for Polaris 4-cycle engines and has high film strength and wear protection under extreme loads and temperatures. Exclusive anti-wear additives protect engine parts with extra rust and corrosion protection.

PS-4 FULL-SYNTHETIC OIL

- PS-4 is optimal for ambient operating temperatures of -40° C to 38° C
- » 1L·2877263
- » 4L · 2877264
- » 25 L · 2877868
- » 60 L 502338
- » 200 L 2878003

PS-4 EXTREME-DUTY FULL-SYNTHETIC OIL

- » 1 L 2879037
- » 25 L · 2879252
- » 60 L 2879003

PS-4 OIL CHANGE KIT

- Contains the correct amount of oil for your vehicle and correct oil filter
- » 2202166 SINGLE 570, TWIN 600, TWIN 700, TWIN 800
- » 2879323
- RANGER/RZR 900/1000
- » 2880913 POLARIS ACE/ETX 325
- » 2877473
- 330500, SPORTSMAN 550/850/1000

- PS-4 Extreme Duty is optimal for ambient operating temperatures of -18° C to 53° C
- » 4 L · 2879251
- » 200 L 2879038



P&LARIS

ENGINEERED LUBRICANTS

ONLY THE BEST WILL DO

To create the best oil for any terrain, we invest in rigorous testing to ensure our oil delivers the consistency and performance you demand. The results are Polaris Engineered Lubricants that are tested and perfected to deliver excellent total engine protection for the life of your ride.

WHAT COUNTS IN OIL TESTING:

- 1. Does it protect the engine at high temperatures?
- 2. Does it keep the engine free from carbon and buildup?
- 3. Does the oil hold its viscosity over time?

ENGINE CHECKPOINTS

When evaluating an engine oil and its ability to protect and preserve the engine's power output and lifespan, Polaris engineers focus on key areas within the engine, some of the most critical ones include:

RING LANDS: Poor oxidative performance can lead to carbon and varnish buildup, which results in poor ring seal and loss of power, combustion blow by and fuel dilution of the oil.

PISTON RINGS: During the combustion process, extreme pressures are placed on the top ring, forcing it outward toward the cylinder wall, sealing the combustion chamber. With so much force applied, poor oil film strength between the top ring and the cylinder wall can lead to cylinder wear and loss of power.

ROD BEARINGS: Engine bearings ride on an extremely thin hydrodynamic film of oil. Poor oil film strength or using an oil with a thinner viscosity, can lead to premature bearing wear or even engine failure. Using an oil with high film strength and a strong viscosity, like PS-4 full synthetic, will extend the service life of your engine.

CAMSHAFT: Direct Acting Overhead Camshafts are used on many Polaris Prostar Engines. In this application the camshaft pushes directly on the valve, creating very high contact pressures compared to other camshaft configurations. These forces are so great that inferior oil can break down and be forced out of the contact area leading to increased wear. PS-4 full synthetic additives are specifically designed to provide wear protection against this.

OIL DEVELOPMENT



FOCUSED ON **POLARIS OIL**



DEVELOPMENT & TESTING



TESTING

64.374 KILOMETERS

> FIELD TESTING

ENGINEERED TO MAXIMIZE THE LIFE OF YOUR RIDE

All Polaris fluids—from anti-freeze to brake fluid—are developed for your vehicle. Trust the only fluids perfectly engineered for your needs.



DOT 4 BRAKE FLUID

Polaris DOT 4 Brake Fluid is a high-quality brake fluid designed for use in Polaris hydraulic brakes. Superior high-temp characteristics plus anti-corrosive additives extend the life of brake system components and provide consistent, positive braking.

» 250 mL • 502081

ANTI-FREEZE

Polaris Extended Life Coolant contains organic acid technologies to prevent corrosion on metal components, eliminate scaling, and maximize cooling system performance.

- » 1L·502103
- » 25 L · 502271
- » 206 L · 502091

AGL

A proprietary blend of additives designed to optimize Polaris*
ORV transmission life. Extreme pressure additives protect
gears, drive chain, and bearings from scoring and wear.
Unlike typical gear case oils, AGL's unique viscosity range
allows instant flow and film protection in extreme cold or
high heat environments.

- » 1L·502080
- » 200 L · 502151
- » 25 L · 502152

DEMAND DRIVE FLUID

Engineered specifically for Polaris ORV front drive systems. Provides positive 4WD engagement in extreme cold or high heat conditions. Unique friction additives protect internal components under heavy loads and promote positive engagement.

- » 1L·502094
- » 200 L 502264
- » 25 L · 502267

Proper lubricant application and timing will ensure optimal vehicle performance. Please refer to your owner's manual for lubricant change interval schedules.



CARBON CLEAN

Polaris Carbon Clean prevents ethanol corrosion, stabilizes fuel, and cleans fuel injectors, piston ring lands, intake systems, and combustions chambers. Helps maintain peak HP and improves fuel economy





FUEL STABILIZER

Fuel Stabilizer prevents ethanol corrosion and stabilizes fuel for up to 2 years. Dualantioxidant formula protects against gum and varnish for easy

» 125 mL • 502100



ANGLE DRIVE FLUID

- » 1L·502089 » 25 L·502268
- » 202 L 502266 SPORTSMAN, RANGER, RZR ANGLE DRIVE GEAR



PREMIUM GAS SHOCK OIL

» 1L·502098



ALL-SEASON GREASE TUBE

» 400 g • 502068

FOR THE LIFE OF YOUR RIDE

MAINTENANCE TIP

BREAK-IN PERIOD

The break-in period for your new GENERAL is the first 25 hours of operation, or the time it takes to use the first two tanks of fuel. No single action on your part is as important as a proper break-in period. Careful treatment of a new engine will result in more efficient performance and longer life for the engine. Perform the listed procedures carefully.

NOTICE: Excessive heat build-up during the first three hours of operation will damage close-fitted engine parts. Do not operate at full throttle or high speeds for extended periods during the first three hours of use.

AIR FILTERS

Critical to engine performance and reliability. A clogged air filter can restrict air flow to the engine leading to reduced engine performance. Dirt and debris ingestion can damage the engine leading to reduced engine life or catastrophic failure. Polaris recommends changing the vehicle's air filter at the specified intervals outlined in the owner's manual, which may be shorter if your vehicle is subject to severe conditions.

BRAKE PADS


Check your brakes if you are close to the recommended service interval, hear grinding when applying the brakes, your vehicle is taking longer to stop or if you have to apply more pressure to your pedal to engage the brakes. Check the brake discs for signs of cracks, excessive corrosion or warping.

If the brake pads are contaminated with oils or grease (petroleum products), brake pads have to be discarded and replaced.

Discs need to be cleaned with brake cleaner or alcohol based cleaner only.

HALF SHAFT

Extreme elements can contribute to axle failure when grease escapes the joint. This usually occurs if the CV boot becomes compromised. Full replacement or part specific available.



MAINTENANCE SCHEDULE

25 HRS/400 km

BREAK-IN MAINTENANCE

ENGINE OIL: CHANGE

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

> AIR FILTER: INSPECT & CLEAN

REPLACE AS NEEDED

INSPECT & CLEAN
INSPECT FOR LEAKAGE OR
CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

50 HRS/800 km



EXHAUST SYSTEM: INSPECT & CLEAN

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

> DRIVE BELT: INSPECT & ADJUST

REPLACE AS NEEDED

100 HRS/1600 km

12 MONTHS

ENGINE OIL: CHANGE

DRIVE BELT: INSPECT & ADJUST

REPLACE AS NEEDED

TRANSMISSION FLUID: CHANGE

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

CARBON BUILD UP AT JOINTS
INSPECT & CLEAN SCREEN
TYPE SPARK ARRESTOR

150 HRS/2400 km

18 MONTHS

ENGINE OIL: CHANGE

BATTERY: TEST, CLEAN, & CHECK FLUID LEVEL REPLACE AS NEEDED

DRIVE BELT: INSPECT & ADJUST REPLACE AS NEEDED

TIRES: INSPECT CONDITION & PRESSURE

EXHAUST SYSTEM: INSPECT & CLEAN

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

POLARIS ENGINEERS PARTS THAT PUSH THE LIMITS WITHOUT SACRIFICING STRENGTH AND DURABILITY. We build our products so anyone with the right tools can maintain their vehicle from their own groups, and get them head on the

We build our products so anyone with the right tools can mainta their vehicle from their own garage - and get them back on the trails where they belong.

DRIVE BELTS

Polaris Engineered belts deliver unmatched performance for your off-road vehicle. Developed and tested on all our engines for all environments and conditions. Check your belt for delamination, hour glassing and glazing.

BREAK-IN PERIOD

- Use lower gear (if available) while varying speeds and avoiding wide open throttle for
- If no low gear is available, vary at moderate speeds while avoiding wide open throttle for

OUR INVESTMENT

- · 32,187 km of field testing
- · Thousands of dyno hours
- 18+ months of development (3,000+ design hours) per belt
- 1200+ vehicle validation hours
- Collaboration with powertrain
 Colutch engineers

YOUR ADVANTAGE

- · No clutch recalibration
- · Less wear & tear due to heat
- Ensure maximum vehicle performance
- · More time riding, less time wrenching
- Produced in collaboration with powertrain and clutch engineers to ensure a perfect fit, maximum performance and ultimate durability

BATTERIES

Never leave a battery unattended during the storage season. To ensure your battery maintains its level of charge when unused for extended periods of time or during freezing weather, the battery should be connected to a BatteryMINDer'. Be sure to check for corrosion from the terminals to the ends of the cables.

OIL FILTERS

Change oil filters with every oil change to provide the best protection for your engine. Superior engine protection keeps your engine operating at peak performance. Be sure to follow the suggested service intervals for oil/oil filter changes.

200 HRS/3200 km



ENGINE OIL: CHANGE

BRAKE PADS & FLUID: INSPECT & CLEAN

REPLACE AS NEEDED

SPARK PLUGS:

INSPECT REPLACE AS NEEDED

EXHAUST SYSTEM: INSPECT & CLEAN

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR 350 HRS/4020 km

30 MONTHS

ENGINE OIL: CHANGE

BATTERY: TEST, CLEAN, & CHECK FLUID LEVEL

REPLACE AS NEEDED

DRIVE BELT:

INSPECT & ADJUST

REPLACE AS NEEDED

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

> EXHAUST SYSTEM: INSPECT & CLEAN

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN

500 HRS/8045 km



ENGINE OIL: CHANGE

AIR FILTER: INSPECT, CLEAN REPLACE AS NEEDED

COOLANT:

CHECK LEVEL
REPLACE EVERY 2 YEARS

GEARCASES: CHECK OIL LEVEL

EXHAUST SYSTEM: INSPECT & CLEAN


INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR CHECK YOUR
OWNER'S MANUAL
FOR ADDITIONAL
RECOMMENDED
SERVICE ITEMS
AND VEHICLESPECIFIC TIMING

HEAVY BUTY PARTS

All Polaris parts are developed and tested to help you get the most out of your ride. Now, we're taking the passion of our riders, workers, and outdoor enthusiasts to the next level with HD Parts. These heavyduty parts are engineered for riders who want greater durability and enhanced performance. HD Parts are designed and tested to handle greater wear and tear under all weather conditions. This means longer ride times with less service interruptions and related costs.









MUD



COLD DOWN TO -40° C

SUSPENSION BOOTS

- Thicker, stronger boot material better withstands cuts and tears
- Prevents the intrusion of water and contaminants, increasing joint life
- More resistant to cracking due to aging

BRAKE PADS*

- · Longer wear life
- Improved braking in wet & muddy conditions

WHEEL BEARINGS*

- Utilizes a triple lip seal for improved protection against mud and debris
- Longer life between service and replacement
- Specifically designed for Polaris vehicles

*Claims made based off testing and performance of Polaris HD Parts against standard OEM parts made by Polaris and competitor brands under normal use.









HEAVY PAYLOADS



EXTENDED LIFE

TIRES*

- · Increased tread life
- Material and design for enhanced puncture resistance

LUBRICANTS*

- High-temperature engine protection
- Increased rust and corrosion protection
- Reduced chance of thermal breakdown in high-temp environments

BATTERIES*

Improved starting in cold/poor conditions means increased performance of accessories and longer vehicle operation.

- Larger Capacity
 Measured in Ah (Ampere Hours)
 HD batteries store more energy
- Higher Output
 Measured in CCA (Cold Cranking Amps)
 HD batteries deliver more power when
 starting and power more auxiliary items

SERVICE PARTS

Polaris Engineered service parts deliver unmatched performance and fit for your off-road vehicle.

All service parts are engineered specifically for your machine. Which means everything is designed, tested and perfected to maximize the life of your ride. Getting Polaris Engineered parts is a decision that pays off in the long run, because it ensures there is a long run.



VISIT YOUR POLARIS DEALER TO SHOP FOR SERVICE PARTS.



FOR THE LIFE OF YOUR RIDE

Maintenance is the key to keeping your Polaris off-road vehicle performing at its peak. Items like belts, lubricants, and batteries represent only a few of these critical items engineered specifically by Polaris.



POLARIS ENGINEERED DRIVE BELTS

TESTED, PERFECTED

We test each belt on the intended vehicle – we don't just try to make an existing belt "just work".

- Amery Kuhl, Polaris CVT System Engineer

OUR INVESTMENT

- 32,187 km of field testing
- · Thousands of dyno hours
- •18+ months of development (3,000+ design hours) per belt
- · 1200+ vehicle validation hours
- · Collaboration with powertrain & clutch engineers

YOUR ADVANTAGE

- · No clutch recalibration
- · Less wear & tear due to heat
- Ensure maximum performance of your vehicle
- More time out riding, less time wrenching

OUR INVESTMENTS ENSURE POLARIS BELTS OUTPERFORM YOUR EXPECTATIONS.



BatteryMINDer®

ENSURE YOUR RIDE IS READY WHEN YOU ARE.

- Add years of capacity, power and range to new and older batteries, regardless of type or brand
- · Never over- or under-charged in any temperature
- Leave your vehicle connected for months and return to fully charged and conditioned batteries
- Recover older or weak batteries that would normally need to be replaced
- Charge and maintain extra backup batteries as well as those in your vehicle
- Automatic turn-on, sleeps while keeping your batteries at full charge
- Easy push-button selector to change battery type or time









	T . T	A . A	-	4	
	2012 AGM 2-AMP	2012 LEAD ACID 2 AMP	1510 1.5 AMP	1.5 AMP CONVERTIBLE	
PART NUMBER	2830438	2830531	2830404	2830511	
VOLTAGE	12 V	12 V	12 V	12 V	
CHARGING CURRENT	2AMP	2AMP	1.5AMP	1.5AMP	
OVERCHARGE PROTECTION	Yes				
BATTERIES MAINTAINED	6 at or	ne time	4 at one time		
BATTERY COMPATIBILITY	12 V Sealed AGM Lead-Acid	12 V Flooded (filler ca	filler cap) and Sealed Maintenance-Free Batteries		
COMES WITH	• Non-fused battery clip cord set with Quick Connector	BC-2410: 61 cm Non-fused battery clip cord set with Quick Connector RTA-2415: 61 cm Fused ring terminal cord set with Quick Connector ATS-1: Ambient Temperature Sensor	Ambient temperature sensor (installed) 3.7 m power cord Battery clip cord set with Quick Connector Optional permanent mounting tab	Auto-temp compensation sensor (installed) Ditional permanent mounting brackets 8 screws Battery clips (fully-insulated, aircraft grade, 15A replaceable fuse) Ring terminal assembly with 15A replaceable fuse	
KEY FEATURES	Designed for high- performance specialty AGM sealed batteries	Diagnoses battery's condition – can predict failing batteries	Easy to use, economical	Convertible on-vehicle or bench top use	

BATTERY MAINTENANCE

Extend your battery life with a BatteryMINDer® and these tips.

- Store batteries in a cool, dry location.
- Check that the battery connections are tight. Cables should not be able to be rotated or shifted by hand.
- If your battery has a drain tube, make sure it is free of clogs.
- Clean your battery use a soft brush to scrub the top of the battery. Use baking soda to remove grease.
- 5. Connect a BatteryMINDer after using your vehicle even if the vehicle is in regular use.

BatteryMINDer ACCESSORIES



BatteryMINDer 3.7 m CABLE

 Made with heavy-duty 16 gauge black zip cord featuring automotive SAE bullet connectors

» 2830410



BatteryMINDer VPP-12:12/24 VOLT VEHICLE POWER PLUG

- Allows easy connection to vehicle's battery through lighter or 12/24V power port with replaceable 15 amp fuse.
- » 2830518



BatteryMINDer SPLITTER

- Connect two batteries simultaneously for easy battery maintenance
- Cap includes a set of ring terminals
- » 2830409



BatteryMINDer RING TERMINAL

- Features 61 cm long 18-gauge wire
- Plug has standard .8 cm negative and .95 cm positive terminals
- Replaceable 15 amp in-line fuse for circuit protection
- » 2830437



BatteryMINDer EZ CONNECT

- Allows for quick and easy connecting and disconnecting of your BatteryMINDer
- Includes a set of ring terminals
- » 2830411

IT SECURELY IT SAFELY



POLARIS VEHICLE LIFT

- Get fast, easy access to the underside of your vehicle
- · Manual and pneumatic operation available
- Raises vehicle up to 82 cm to make repairs and maintenance faster and easier
- » 544 kg 2830424

LIFT ATTACHMENTS

- Add the appropriate attachment to use your lift for all your off-road vehicles
- » ATV/POLARIS ACE 2830427
- » SNOWMOBILE 2830426







POLARIS FLEX JUMPSTARTER

- 12,000 mAh capacity. Two 5V/2.1A USB outputs, 200-lumen flashlight, and a digital battery life monitor. Includes storage case, smart jumper cables, car charger, wall charger, and user guide.
- Jumpstart any engine up to 6.4L. The Polaris Flex Jumpstarter is small enough to be stored in your glovebox and holds its charge so you can count on it when it's needed.

» 2830495

POLARIS X3 CREEPER

- \bullet Three positions: flat, 45-degree angle or seated work stool
- Helps you perform any repair with ease
- · Stay dry and warm away from cold, wet cement floors
- · Easily stores away when not in use
- » BLACK 2830429

SHOP ACCESSORIES



POLARIS MAGNETIC PARTS TRAY

» SILVER • 2830432



POLARIS 8.4 cm TELESCOPIC MAGNET

» BLACK • 2830435



POLARIS 30.5 cm HI-TORQUE RATCHETING DRIVER

» BLACK / BLUE • 2830434



POLARIS LED POCKET FLASHLIGHT

» BLACK • 2830436

CV BOOT REPAIR KIT

- · A quick trail side fix to increase trail time
- · The flexible and durable boot material expands over a cone tool for CV boot repairs, without disassembling CV axles
- · Universal fit works as a temporary fix for most powersports axles
- · All components fit inside the cone, and a cover is provided for compact durable storage
- · Easily fits in a cargo box, attached to the roll cage, in the glovebox, or many other storage locations



Items shown are contained inside cone

UTV CV BOOT REPAIR KIT

Kit includes the following items:

- (1) Expandable XL CV Boot
- (1) Reusable Cone Tool
- (2) CV Boot Clamps
- (1) Tube of Silicone Lube
- (1) Grease Packet
- (1) Cone Cover » 2830526


UTV TRAIL BOOT ONLY

» 2830527


ATV

- » CV REPAIR KIT 2830528
- » TRAIL BOOT ONLY 2830529


HOW TO INSTALL




Remove wheel and axle nut.



Remove brake caliner, bub, tie rod, & upper & lower ball joints.




Remove old boot & clean joint.



Spread silicone lube on entire cone tool. Slide boot over cone tool, large end first. See package for outer boot instructions.



Empty the bag of grease into the CV Reassemble tie rod, ball joints, brake joint/boot, clean sealing points & install clamps.



caliper, axle nut, tire & wheel.

Refer to your owner's manual for further instructions and torque specifications. *Designed for temporary CV boot repair. Purchase the OEM CV Boot for a permanent repair.

CLEAN

ALL-PURPOSE CLEANER

- Professional cleaner, which is formulated with a low pH-value.
 The product spreads well on surfaces and adheres on them for effective cleaning action. Perfectly compatible with rubber, plastic and painted surfaces. The formulation is biodegradable.
- » 500 mL 502309

SHINE

INSTANT SHINE & DETAILER

- The INSTANT SHINE AND DETAILER is developed for cleaning action without
 water. Removes insects, dust and dirt with almost no effort. Applicable for
 plastics, visors, windscreens, paint and metal. The wipe and shine formulation
 makes surfaces shine, works water repellant and also has an antistatic
 effect. Perfect for customers living in urban areas with no access to water,
 for bike trips or showroom bikes.
- » 500 mL 502303



TRAILERING



ALUMINUM ARCHED LOADING RAMPS

- » 193 cm × 30.5 cm 907 kg 2875384
- » 224 cm × 30.5 cm 1361 kg 2875386



LIGHTWEIGHT TRI-FOLD RAMPS

- · Ramp folds up for transport
- · Capacity for up to 680.7 kg
- · Safety straps included
- » 183 cm × 130 cm 2875385
- » 208 cm × 130 cm 2875860

FOLDING ALUMINUM ARCHED RAMPS

- · Ramp folds up for transport
- · Capacity up to 1361 kg

BRING IT EVERYWHERE

- Safety straps included
- » 224 cm × 30.5 cm 2875387

HITCHES.

3:1 HITCHES

VERSATILE 3 IN 1 FUNCTIONALITY



BALL





PIN

HOOK -

- · Ball, pin and hook design
- Durable, rust resistant steel with black powdercoated finish
- Removable ball
 - · HD 1.6 cm pin and clip



HITCH WITH 5 cm BALL

- » 5 cm x 5 cm RECEIVER 2830522
- » 3 cm x 3 cm RECEIVER 2830523



- · 4.8 cm replacement ball for hitch
- · Designed to work with 3:1 Hitch
- » 2830524



STRAPS & ROPES .

RECOVERY STRAP

· 5 cm x 9.1 m (8165 kg)

· Comes with carry bag

» 2884033

RATCHET STRAP

- 5 cm x 6.1 m Ratchet Straps
- · Heavy duty webbing, floating D-rings, double J-hooks
- 4536 kg maximum load, 1497 kg working load
- » 2884032



RATCHET STRAP

- · 3.8 cm x 4.6 m straps, 2 Pack
- · Heavy duty webbing
- 2495 kg maximum load, 831 kg working load
- » 2884031



SHOCK STRAPS

- · 3.8 cm 1361 kg breaking strength
- · Keeps tension on tie-down straps to secure load, 2 Pack
- » 3.8 cm x 4.6 m 2883296
- » 3.8 cm x 2.1 m · 2883295



- » 5 cm RECEIVER TONGUE 2875320
- » FRONT HITCH RECEIVER 2878846



TRAILER BALL 1.9 cm SHANK

- » 4.8 cm BALL 2877602 » 5 cm BALL • 2877603

COVERS



TRAILERABLE COVER BY POLARIS

» 2-SEAT • 2881841

POLARIS GENERAL 1000 '16-20

» 4-SEAT • 2881787 POLARIS GENERAL 4 1000 '17-20



POLARIS SxS CAMO FIELD COVER

» 2882160

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

RIDING JERSEYS & GLOVES







GLOVE | 2860643



GLOVE | 2860642

BOLD TECHNICAL GEAR TO INSPIRE EVERY ADVENTURE

GLOVE | 2860645

GLOVE | 2860644

GLOVE | 2860641

COOLING SHIRTS



Cooling fabric designed with sun protection in mind. Our chemical-free fabric Coolcore reduces the surface temperature on our cooling shirt up to 30%, so you don't overheat. It carries a 50 Ultraviolet Protection Factor rating, the highest attainable, blocking 98% of harmful UV rays. Available in long and short sleeve.

SHORT SLEEVE COOLING SHIRTS

MEN'S S-3XL | 2860634 **WOMEN'S** S-3XL | 2860636

LAYERING



WOMEN'S GRAY/PURPLE S-3XL | 2860549 MEN'S GRAY/BLUE S-3XL | 2860548

MEN'S BLACK S-3XL | 2868512



HELMETS

509 FOR POLARIS

509 ALTITUDE HELMET

STYLISH, LIGHTWEIGHT HELMET WITH 509° FIT AND FINISH

SHELL

• Thermoplastic poly alloy outer shell

WEIGHT

· 1260 grams

FEATURES

- · Revolutionary neck brace-ready shell profile
- Specially designed expanded polyurethane chin insert
- · Eight intake/exhaust vents
- · Universal camera mount included
- · Removable breath box included
- Three outer shell molds across eight sizes for excellent fit
- · DOT- and ECE 22.05-approved





509° ALTITUDE CARBON HELMET

DURABLE, ULTRA LIGHTWEIGHT, CARBON FIBER

SHELL

• Full carbon fiber shell

WEIGHT

· 1100 grams

FEATURES

- Fidlock® magnetic chin strap technology, easy-on/offtechnology
- Revolutionary neck brace-ready shell profile
- Removable breath box included
- · Universal camera mount included
- Eight intake /exhaust vent ports
- Fully convertible for winter and
- summer use
- Three outer shell molds across eight sizes for excellent fit
- DOT- and ECE 22.05-approved



CARBON GLOSS S-4XL | 2867815

CARBON MATTE S-4XL | 2867814

GOGGLES

KINGPIN 509° DIRT GOGGLE

PREMIUM MATERIALS, ATTRACTIVE PRICE

FEATURES

- · Oversized spherical lens delivers optimal peripheral vision
- · Metal tear off posts provide strength and durability
- · Quick-Change technology allows you to run the best lens tint for conditions



BLUE 2868667



ORANGE 2868668



BLACK



RED



LIME

TENACITY HELMET

ALL THE STYLE & PROTECTION IN OUR MOST AFFORDABLE HELMET

SHELL

· Injection-molded plastic

WEIGHT

· 1450 grams

FEATURES

- ${\boldsymbol{\cdot}}$ Stay cool when pushing the limits with oversized mouth intake and top vents with six rear exits
- · Staywarm on cold days with optional breath deflect or insert (sold separately)
- · Removable, machine-washable liner keeps things fresh ride after ride
- · DOT- and ECE 22.05-approved







TEKVEST®

ULTIMATE PROTECTION

VISIT POLARIS.COM FOR TEKVEST® SIZING



TEKVEST* SUPERSOFT

S-3XL | 2862190

- · Zip-off fleece collar diffuses rising body heat to reduce fogging
- Large arm openings for unrestricted movement
- · Drop-tail design for extended coverage
- · 2-stage pockets



TEKVEST® FREESTYLE

S-3XL | 2862189

- Strong, protective ultra high molecular weight panels cover shoulders
 Front and rear mesh panels promote
- cooling airflow
- · Large arm openings for unrestricted movement
- · Use off-roading and/or snowmobiling



TEKVEST® SHOULDER PADS

S-3XL | 2862192

- Strong and protective Ultra High Molecular Weight Polyethylene
- Adjustable bicep strap
- · Quick-attach design for installation or removal in seconds



TEKVEST® YOUTH

S-3XL | 2862191

- Adjustable side straps and arm straps
 Strong, protective ultra high molecular
- weight panels cover shoulders
- · Large arm openings for unrestricted movement

OUTERWEAR



NEW FLANNEL JACKET

Stylish and warm flannel shirt/jacket with front snap closure available in 2 colorways. Soft yet durable brushed flannel on the outside lined with warm Sherpa fleece on the inside. Available in Men's sizing S-3XL.

Ample storage with 5 total pockets:

- External pockets include 2 chest and 2 hand pockets with snap closures
- One internal pocket with zip closure



BRONZE S-3XL | 2860864

NEW **WORK JACKET**

This warm and rugged jacket was engineered to be tough enough for work and stylish enough for play. The outer fabric is crafted with Nylon 6, a durable, non-stretch woven fabric that is rugged and tear resistant but feels like a soft, comfortable material. Protection and warmth with 100% nylon shell coated with durable water repellency (DWR).

External features:

- · Superior Durable Water Repellent (DWR) treatment provides water-resistance in the elements
- Four external pockets for maximum gear storage
 Customized fit with Velcro" wrist closure cuffs

Internal features:

- 80 gram 3M" Thinsulate for warmth on chilly days
- Built in action back provides comfortable movement and increased range of motion
- Internal zipper pocket
 Brushed flannel trim



GREEN S-3XL | 2860862

JACKETS



SOFTSHELL JACKET

LIGHTWEIGHT PERFORMANCE THAT'S SURPRISINGLY WARM AND PERFECT FOR EVERYDAY WEAR

- DWR prevents precipitation from saturating the jacket's exterior
- · Three external and one internal pocket
- · Lined with 280 grams of soft fleece for warmth
- · Removable hood and underarm venting



RAIN SUIT

OUTERWEAR BUILT TO WORK HARD & PLAY HARD



RAIN JACKET GRAY

S-3XL | 2869527

RAIN PANTS GRAY S-3XL | 2869528

- 100% waterproof lightweight and packable nylon
- YKK° Zippers
- Rain jacket has removable hood

LIFESTYLE











CAPS



CAMO TRUCKER HAT

One-Size BLACK | 2860613 PINK | 2860614



PATCH CORE HAT

BLACK S/M | 2868579 BLACK L/XL | 2868580 NAVY S/M | 2868581 NAVY L/XL | 2868582



DASH SNAPBACK HAT

One-Size BLACK | 2860595 GRAY | 2860596



CORE SNAPBACK HAT

One-Size BLACK | 2867762 NAVY | 2869544



PATCH TRUCKER HAT

One-Size BLACK | 2860597 NAVY | 2860598



RETRO TRUCKER HAT

One-Size GRAY/RED | 2869542 GRAY/BLUE | 2869543



KNIT PATCH BEANIE


One-Size BLACK | 2860601 GRAY | 2860602



FLEECE REVERSIBLE BEANIE

One-Size
CAMO/GRAY | 2868648
CAMO/BLAZE ORANGE | 2867756

CAMO





GIFTS & BRANDED MERCHANDISE

BARWARE



POLARIS FLASK 2860812



WHISKEY ROCKS 2860813



POLARIS WOODEN COASTERS WITH **BOTTLE OPENER** 2860869



BEER FLIGHT SAMPLER 2860814



PINT GLASS (Set of 2) 2860815



2860818

RECREATION/GARAGE



CARD DECK 2860816



PREMIUM COOZIE 2860829



18 OZ STEEL CAMO WATER BOTTLE 2867962



POLARIS WOOD SIGN (26.7 cm x 61 cm) 2860866



POLARIS STEEL SIGN (35.6 cm x 91.4 cm) 2860868



POLARIS ALUMINUM SIGN (56 cm) 2860867

